



**NOTES:**

- FOR PIPE TRENCH INSTALLATION, CONTROLLED LOW STRENGTH MATERIAL (CLSM – NYSDOT ITEM NO. 204.01 OR 204.02) SHALL BE USED AS THE PIPE TRENCH BACKFILL MATERIAL. THE CLSM SHALL EXTEND FROM THE BOTTOM OF THE PIPE TRENCH UP TO THE BOTTOM OF THE ASPHALT CONCRETE BASE COURSE. SUBMITTALS OF THE CLSM (NYSDOT ITEM NO. 204.01 OR 204.02) SHALL BE PROVIDED TO THE VILLAGE ENGINEER FOR REVIEW AND APPROVAL.
- UNLESS OTHERWISE NOTED, THE EXCAVATION AND EMBANKMENT AND TRENCH AND CULVERT EXCAVATION SHALL MEET THE SPECIFICATIONS OUTLINED IN SECTIONS 203 AND 206 AND OTHER APPLICABLE SECTIONS OF THE NEW YORK STATE DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS, DATED JANUARY 9, 2014 WITH LATEST REVISIONS.
- IT IS THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THE EXACT LOCATIONS OF EXISTING UTILITIES. THE CONTRACTOR SHALL VERIFY ELEVATIONS OF EXISTING UTILITIES TO ENSURE ADEQUATE CLEARANCE FOR THE SEWER LINE EXISTS. THE CONTRACTOR SHALL NOTIFY THE ENGINEER (IN WRITING) OF CONFLICTING ELEVATIONS, ALLOWING THE ENGINEER ADEQUATE TIME TO REVISE GRADES WITHOUT NECESSITATING REMOVAL AND RECONSTRUCTION OF WORK ALREADY COMPLETED BY THE CONTRACTOR.
- THE VILLAGE ENGINEER SHALL INSPECT THE STORM AND/OR SANITARY SEWER (i.e. STRUCTURES, PIPES, CLEANOUTS, ETC.) PRIOR TO AND DURING BACKFILL. THE OWNER, OWNER'S REPRESENTATIVE AND/OR CONTRACTOR SHALL CONTACT THE VILLAGE ENGINEER AT (914) 777-7731 OR EMAIL ENGINEER@VOMNY.ORG (24) HOURS PRIOR TO START OF THIS WORK.

<p>VILLAGE OF MAMARONECK STANDARD CONSTRUCTION DETAILS</p> <p>PREPARED IN THE OFFICE OF THE VILLAGE ENGINEER</p>	<p><b>STORM AND/OR SANITARY SEWER CLEANOUT (WITHIN RIGHT-OF-WAY)</b></p> <p>DESIGNED BY: ARC, PE      CHECKED BY: ARC, PE DRAWN BY: ARC, PE      VOM Storm Sewer Cleanout.dwg</p>	 <p><b>VILLAGE OF MAMARONECK</b> VILLAGE MUNICIPAL BUILDING 169 MT. PLEASANT AVENUE (3RD FLOOR) WESTCHESTER COUNTY VILLAGE OF MAMARONECK, NY 10543 PHONE: (914) 777-7731 FAX: (914) 777-7792</p>	<p>PROJECT: DETAILS SCALE: NOT TO SCALE DATE: 03/13/2014</p> <p><b>SD-3D</b></p>
--	---	--	--